--HOW TO INSTALL RBR AND DEP CONFIGURATION--

You don't need to have the RBR game, SCL Tools has all the material already included!

You simply go here: https://scl-tools.blogspot.com/ and follow the step-by-step procedure, always check this space to install any updates!

WORKAROUND to install RBRTM without running into system errors.

VERY IMPORTANT: Several .dlls used by RBR are necessary for its proper functioning, so they must be added to the non-monitoring exceptions of your antivirus.

Many antiviruses detecting their presence and not knowing their origin (Microsoft Digital Signature) block these **important**.dlls by returning a detection called False Positive.

Before proceeding with the installation, therefore, you must **necessarily have the container folder** of our Mod RBR not monitored by your antivirus.

DO NOT INSTALL in the folders:

C:\Program Files\

C:\Program Files (x86)\

C:\users \ Account Name (Documents, Desktop, Download etc.)

C:\Programs and avoid special characters because it will not work properly)

1st Install and run **Optimization Tool AIO v7.2** (if you see errors in red during compilation do not be alarmed, restart your PC).

THIS PACKAGE INCLUDES

Microsoft Visual C++ All-In-One Runtimes

vcredist2015_2017_2019_2022

DirectX 9.0c

dotnet-sdk-7.0.402

Run **Optimization Tool AIO v7.2** again so that it will automatically add to your Windows Defender Antivirus all exceptions and all Visual C++ All-In-One Runtimes necessary for the correct operation of Czech RBR.

If you use other Antivirus (not recommended) you have to manually add the Czech RBR container folder yourself.

2nd Install SCLT NGP 7.1 Full Edition v2.0 do not run!

3rd Install RBR SCLT v1.6b Patch do not run!

4rd Install RBR SCLT v1.6c Patch (or any new version released)

5rd Then just download the Mega Maps address package: http://rbr.onlineracing.cz/forum/viewtopic.php?t=4259 which you will have to unpack and put in the **RBR Maps folder**.

If you start RBR and after its startup it closes again then you need to configure **DEP** by adding **RichardBurnsRally_SSE.exe** to the exceptions, let's see how to do that:

--How To Configure Or Turn Off DEP--

In Windows 10/11, DEP defaults to the setting Turn on DEP for essential Windows programs and services only.

Most of the time, this is sufficient.

It means that the majority of your programs will be ignored by DEP.

Then if you find a program that has a problem with DEP, we can add it as an exception.

Let's look at how to do that.

Open the Control Panel then open System.



On the left side of the System window, click on Advanced System Settings.



The **System Properties** window should open and already be set to the **Advanced** tab.

In the **Performance** area, click on **Settings**.

Computer Name	Hardware	Advanced	System Protection	Remote	
You must be lo	gged on as	an Administrat	or to make most of t	hese changes	s.
Performance					_
Visual effects	processor s	scheduling, me	emory usage, and vir	tual memory	
				Settings	
				3	
User Profiles					ń
Desktop settir	ngs related t	o your sign-in			
				Settings	
Charter and D					_
Startup and R	ecovery				
System startu	o, system fai	lure, and debu	lgging information		
				Callings	
				Settings	
			Environme	ent Variables	
		011		A 1	

In the Performance Options window, click on the Data Execution Prevention tab.

Performance (Options		×
Visual Effects	Advanced	Data Execution Prevention]
Select the se	ettings you e of Windo	want to use for the appeara ws on this computer.	ance and

With **Turn on DEP for all programs except those that I select** selected, click on the Add button near the bottom of the window.



Navigate to the executable for the program that we'd like to add as an exception.

In this example, we're adding **RichardBurnsRally_SSE.exe**.

Click on the **RichardBurnsRally_SSE.exe** file once we find it and click on **Open**.

😰 Apri			×
Cerca in:	늘 RBR SCL Tools NGP 7.1 Full Editio \smallsetminus	G 🤌 📂 🖽 -	
Nome	^	Ultima modifica	Тіро
🛗 RBRdll	l.exe	28/10/2004 11:41	Applicaz
🔧 RBRSN	1.exe	21/03/2021 14:06	Applicaz
🔳 ReSha	de_asi_disabled.exe	29/03/2023 14:30	Applicaz
🔳 ReSha	de_asi_enabled.exe	29/03/2023 14:30	Applicaz
🗬 Richar	dBurnsRally_SSE.exe	22/10/2004 18:04	Applicaz
Save_g	gravel_setup_sheet.exe	08/05/2023 18:14	Applicaz
🔳 Save_s	now_setup_sheet.exe	08/05/2023 18:14	Applicaz
🔳 Save_t	armac_setup_sheet.exe	08/05/2023 18:14	Applicaz
Save_v	vet_setup_sheet.exe	08/05/2023 18:13	Applicaz
🛐 SCL To	ols.exe	27/06/2022 14:15	Applicaz
🔳 Unbrea	akable Windshield.exe	04/05/2022 17:21	Applicaz
🕉 Uninst	al.exe	11/11/2023 00:34	Applicaz
🔳 Wheel	Rotation.exe	29/10/2022 14:25	Applicaz
Nome file:	RichardBurnsRally_SSE.exe		 ✓ Apri
Tipo file:	Flle eseguibili		 Annulla

In Performance Options, click on **Apply**.

Now, **RichardBurnsRally_SSE.exe** will run outside of DEP protection while all others will run within DEP protection.



--RBR Fix definitive losing command storage--

The inimitable, the unique and authentic '**Borgacci**' method teaches you how to solve once and for all the bug that has plagued our RBR for so many years, we are talking about the continuous loss of memorisation of game commands that forced you to recreate the peripheral configuration from scratch each time.

Is it necessary to delete the .acm profile? Absolutely NOT.

Is it possible to change the input positions of USB peripherals without losing command storage? **Absolutely YES**.

Step 1: Connect all peripheral devices to the USB ports.

Step 2: Configure the values within the game in the controls section making sure **NEVER** to use "**ALT + TAB**" during this procedure, **always enter a short shakedown section** with the commands you have just changed and make sure they work, **then save the profile and exit the game**.

Step 3: Make the file **pfMULLIGATAWNY.acm** located in the path for example X:\Richard Burns Rally\SavedGames\pfMULLIGATAWNY.acm **read-only**.

When adding other devices, you must remove the read-only tick from the .acm file and repeat the procedure from the beginning.

Pro Tips:

When you put the file **pfMULLIGATAWNY.acm** read-only and then change the name using the NGPCarMenu plugin you must also put the **new pfNAMESURNAME.acm** read-only.

Extra Tips:

Always enter a short shakedown section with the newly changed commands and make sure they work.

Using **SCL Tools** on the **ADDONS page**, open the monitoring tool for your connected devices and make sure you are only using those you use with RBR. If you have other connected devices, **disable them so you don't have conflicts** in RBR!

👻 USBDeview											-	- 0	×
File Modifica Visualizza O	pzioni Aiuto												
🗙 🎯 🖌 🔹 🔹 🕼 🚱	Pa 🗗 🔊 📲												
Nome dispositivo 🧳	Descrizione	Tipo dispositivo	Connesso	Disconnessio	Disabilitato	Hub USB	L Data d	reazione	Ultima volt	ta con	Vend	Prod	Revisi
•	USB Input Device	HID (Human Interface Device)	No	Si	No	No	28/11,	2019 19:0	28/11/201	9 19:0	045e	02ff	0.00
• 0000.0014.0000.007.000.00	USB Input Device	HID (Human Interface Device)	Si	Si	No	No	02/12/	/2019 14:4	02/12/201	9 14:4	1b1c	1b12	2.04
• 0000.0014.0000.007.000.00	USB Input Device	HID (Human Interface Device)	Si	Si	No	No	02/12,	/2019 14:4	02/12/201	9 14:4	1b1c	1b12	2.04
• 0000.0014.0000.007.000.00	USB Input Device	HID (Human Interface Device)	Si	Si	Richard Burn	s Rally New Age	e → Save	dGames					
Corsair M65 RGB Gaming	USB Composite Device	Sconosciuto	Si	Si									
G27 Racing Wheel	Logitech G27 Racing Wheel USB	HID (Human Interface Device)	Si	Si	Nome			Proprie	tà - pfMULLI	IGATAWN	/.acm		
@ Port_#0001.Hub_#0001	USB Input Device	HID (Human Interface Device)	No	Si	Coslot2	d tarmac clio.ls	iD.	Generale G	Sector and Det	taali Vomi	ani nesasd	lanti	
@ Port_#0001.Hub_#0001	Logitech Driving Force USB	HID (Human Interface Device)	No	Si	📔 1slot0	Clio-Tarmac-Co	orte.lsp	denerate a	nonerra per	udyli velsi	on pieceo	enu	
@ Port_#0001.Hub_#0001	Logitech G27 Racing Wheel USB	HID (Human Interface Device)	No	Si	📓 1slot1_Clio_Gravel.lsp				pfMULLIGATAWNY.acm				
@ Port_#0002.Hub_#0001	USB Input Device	HID (Human Interface Device)	No	Si	2 1slot2 tititi.lsp								
@ Port_#0002.Hub_#0001	Logitech Driving Force USB	HID (Human Interface Device)	No	Si	2slot0_	Clio_Grave_Sno	willsp	Tipo di file:	File ACM (.acm)			
@ Port_#0002.Hub_#0001	Logitech G27 Racing Wheel USB	HID (Human Interface Device)	No	Si	📓 2slot1_	Clio Tarmac Co	rte.lsp	And con:	Noter	adaa ta fra	e (SN	Cambia	
@ Port_#0009.Hub_#0001	Logitech Driving Force USB	HID (Human Interface Device)	No	Si	📓 3slot0_	DS3_R1.lsp		- pri com	in the second	Juan - Carro	e tant	Cdilloid	-
Port_#0012.Hub_#0001	Xbox One Controller	Sconosciuto	No	Si	🥁 6slot0_	C2 Marce Corte	e e pressio	Percorso:	1	D:\Richard 8	Sums Rally	New Age S	SavedGar
T500 RS Gear Shift	USB Input Device	HID (Human Interface Device)	Si	Si	BACKU	PpfMULLIGATA	WNY.zip	Dimensioni		212 hvte (21	2 hate)		
USB Keyboard	USB Composite Device	Sconosciuto	Si	Si	📔 pfMUL	LIGATAWNY.acn	n	2			2 0/10/		
USB Keyboard	USB Input Device	HID (Human Interface Device)	Si	Si	📔 pfMUL	LIGATAWNY.rbr		Dimensioni	su disco: U	byte			
USB Keyboard	USB Input Device	HID (Human Interface Device)	Si	Si	🥁 pfresul	lt.rst		Data creazi	ione: v	enerdi 29 n	ovembre 2	019 22:42:	20
USB Keyboard	USB Input Device	HID (Human Interface Device)	Si	Si				Like second		0.20		010 00 40	
								Utima mod	rica: v	reneral 25 n	ovembre 2	019, 22:42:	20
								Ultimo acce	esso: C	Oggi 2 dicen	abre 2019,	58 minuti fa	
								Attache di					
								Athout:	≥ read c		ascosto	Avanza	te

By creating multiple copies of your read-only protected .acm profiles you will be able to replace them much faster.

OK Annulla Applica



Igor Borgacci: https://www.facebook.com/borgaccino/

SCL Tools: https://www.simcontrolauncher.it/news/

SCL Tools: https://scl-tools.blogspot.com/

MOD: https://www.racedepartment.com/threads/rbrczlauncher.176870/

RBR Czech Plugin Website: https://rbr.onlineracing.cz/index.php

Discord Server Czech Plugin: https://discord.gg/yeweeUraFu

Vauhtimurot troubleshooting and install guide: https://vauhtimurot.blogspot.com/p/in-english.html

Skins and other mods: http://rbrplus.blogspot.com/

Skin templates: https://rbrtemplates.blogspot.com/

FixUp and NGP by Workerbee: https://gvrc.de/NGP.html

Pacenote Plugin by Workerbee: https://gvrc.de/pacenote.html

Special thanks: NGPcarMenu by Mika-n - RBR_RX by JHarro - Gauger plugin by V317MT - RBRVR v1.6 by

Keijo "Kegetys" and many others who are helping to improve RBR.